

## Barrel Cushions


### PRODUCT DESCRIPTION

Barrel Cushions provide versatility in all applications reducing material and installation costs by having multiple holes in a single cushion with a single attachment point. The unique design allows them to be individually installed utilizing Butterfly Hangers or stacked out with Stackable Hangers and Mini Cable Blocks. Barrel Cushions are constructed from UV-resistant EPDM rubber, which is durable in extreme temperatures and harsh environmental conditions. Barrel Cushions are available in multiple sizes to accommodate what the industry demands for installation of all of your Fiber, Power, Elliptical, and Coaxial Cable requirements.

---

### TYPICAL APPLICATIONS

---



# SPECIFICATIONS

| <b>BARREL CUSHION SPECIFICATIONS</b> |  |                              |                    |                 |   |
|--------------------------------------|--|------------------------------|--------------------|-----------------|---|
| <b>Part Number</b>                   | <b>Cable Size (MM)</b>   | <b>Total Number of Holes</b> | <b>Weight Lbs.</b> | <b>Kit Qty.</b> | <b>Mating Hanger Size (Sold Separately)</b> |
| BC14381258X                          | 6.1mm (4 Holes), 9.9mm (2 Holes), 16mm (1 Hole), 21.3mm (1 Hole)                         | 8                            | 3.3                | 10              | 2-1/4"                                      |
| BC384582X                            | 9.9mm (4 Holes) & 21.3mm (2 Holes)   | 6                            | 2.8                | 10              | 2-1/4"                                      |
| BC144582X                            | 6.1mm (4 Holes) & 21.3mm (2 Holes)   | 6                            | 2.0                | 10              | 2-1/4"                                      |
| BC134214X                            | 44mm   | 1                            | 1.7                | 10              | 2-1/4"                                      |
| BC1410X                              | 6.1mm  | 10                           | 2.9                | 10              | 1-5/8"                                      |
| BC06183X                             | 6mm (6 Holes) & 18.5mm (3 Holes)   | 9                            | 1.7                | 10              | 1-5/8"                                      |
| BC567121530X                         | 5mm (2 Holes), 6mm (2 Holes), 7mm (2 Holes), 12mm (1 Hole), 15mm (1 Hole), 30mm (1 Hole) | 9                            | 1.4                | 10              | 1-5/8"                                      |
| BC144384X                            | 6.1mm (4 Holes) & 9.9mm (4 Holes)  | 8                            | 2.5                | 10              | 1-5/8"                                      |
| BC5612152023X                        | 5mm (2 Holes), 6mm (2 Holes), 12mm (1 Hole), 15mm (1 Hole), 20mm (1 Hole), 23mm (1 Hole) | 8                            | 1.5                | 10              | 1-5/8"                                      |
| BC387X                               | 9.9mm  | 7                            | 2.4                | 10              | 1-5/8"                                      |
| BC56152023X                          | 5mm (2 Holes), 6mm (2 Holes), 15mm (1 Hole), 20mm (1 Hole), 23mm (1 Hole)                | 7                            | 1.9                | 10              | 1-5/8"                                      |
| BC115158                             | 11.5mm   | 7                            | 1.7                | 10              | 1-5/8"                                      |
| BC053383X                            | 5mm (3 Holes) & 10mm (3 Holes)   | 6                            | 2.9                | 10              | 1-5/8"                                      |
| BC1439163X                           | 6.1mm (3 Holes) & 14.5mm (3 Holes)   | 6                            | 2.6                | 10              | 1-5/8"                                      |
| BC144122X                            | 6.1mm (4 Holes) & 16mm (2 Holes)   | 6                            | 2.4                | 10              | 1-5/8"                                      |
| BC384122X                            | 9.9mm (4 Holes) & 16mm (2 Holes)   | 6                            | 2.2                | 10              | 1-5/8"                                      |
| BC0539163X                           | 4.5mm (3 Holes) & 14mm (3 Holes)   | 6                            | 1.9                | 10              | 1-5/8"                                      |
| BC053P13X11X                         | 4.5mm (3 Holes) & 13mm X 11mm (3 Holes)  | 6                            | 1.9                | 10              | 1-5/8"                                      |
| BC073P13X11X                         | 6.1mm (3 Holes) & 13mm X 11mm (3 Holes)  | 6                            | 1.9                | 10              | 1-5/8"                                      |
| BC074154158X                         | 7mm (4 Holes) & 15mm (4 Holes)   | 8                            | 1.7                | 10              | 1-5/8"                                      |
| BC6810121425X                        | 6.1mm, 8mm, 10mm, 12mm, 14mm & 25mm (1 Hole Each)  | 6                            | 1.7                | 10              | 1-5/8"                                      |
| BC3819163X                           | 10mm (1 Hole) & 14.5mm (3 Holes)   | 4                            | 2.7                | 10              | 1-5/8"                                      |
| BC08510953X                          | 8.5mm (1 Hole) & 9.5mm (3 Holes)   | 4                            | 2.6                | 10              | 1-5/8"                                      |
| BC08511093X                          | 8.5mm (1 Hole) & 10.9mm (3 Holes)  | 4                            | 2.5                | 10              | 1-5/8"                                      |
| BC124X                               | 16mm   | 4                            | 1.9                | 10              | 1-5/8"                                      |
| BC08511473X                          | 8.5mm (1 Hole) & 14.7mm (3 Holes)  | 4                            | 1.8                | 10              | 1-5/8"                                      |
| BC582X                               | 21.3mm   | 2                            | 2.2                | 10              | 1-5/8"                                      |
| BC1020158X                           | 20mm (1 Hole) & 10mm (1 Hole)  | 2                            | 2.1                | 10              | 1-5/8"                                      |
| BC24158                              | 15/16" .93 (24.0)  | 1                            | 2.0                | 10              | 1-5/8"                                      |
| BC134158X                            | 44mm   | 1                            | 1.4                | 10              | 1-5/8"                                      |
| BC138158X                            | 35mm   | 1                            | 1.4                | 10              | 1-5/8"                                      |
| BC2431X                              | 24mm - 31mm  | 1                            | 0.5                | 10              | 1-5/8"                                      |
| BC064124X                            | 6mm (4 Holes) & 12mm (4 Holes)   | 8                            | 1.7                | 10              | 1-5/8"                                      |
| BC10202158X                          | 10mm (1 Hole) & 20mm (2 Holes)   | 3                            | 2.0                | 10              | 1-5/8"                                      |
| BC10232158X                          | 10mm (1 Hole) & 23mm (2 Holes)   | 3                            | 1.8                | 10              | 1-5/8"                                      |
| BC074114158X                         | 6mm (4 Holes) & 11mm (4 Holes)   | 8                            | 2.5                | 10              | 1-5/8"                                      |

## SPECIFICATIONS



| <b>BARREL CUSHION SPECIFICATIONS</b>           |                                |                       |             |          |   |
|--|--------------------------------|-----------------------|-------------|----------|---|
| Part Number                                    | Cable Size (MM)                | Total Number of Holes | Weight Lbs. | Kit Qty. | Mating Hanger Size<br>(Sold Separately) |
| BC057114X                                      | 5mm                            | 7                     | 1.5         | 10       | 1-1/4"                                  |
| BC134114X                                      | 12mm                           | 4                     | 1.0         | 10       | 1-1/4"                                  |
| BC1020114X                                     | 20mm (1 Hole) & 10mm (1 Hole)  | 2                     | 1.4         | 10       | 1-1/4"                                  |
| BC131114X                                      | 12mm                           | 1                     | 1.5         | 10       | 1-1/4"                                  |
| BC241114X                                      | 24mm                           | 1                     | 1.1         | 10       | 1-1/4"                                  |
| BC138114X                                      | 35mm                           | 1                     | 0.5         | 10       | 1-1/4"                                  |
| BC061014X                                      | 6mm (4 Holes) & 10mm (3 Holes) | 7                     | 1.4         | 10       | 1-1/4"                                  |
| BC1378X  | 12mm                           | 1                     | 0.8         | 10       | 7/8"                                    |
| BC2478X  | 24mm                           | 1                     | 0.3         | 10       | 7/8"                                    |
| <b>*Additional Sizes Available on Request*</b> |                                |                       |             |          |   |

| <b>ELLIPTICAL BARREL CUSHION SPECIFICATIONS</b> |  |                       |             |          |   |
|---|--|-----------------------|-------------|----------|---|
| Part Number                                     | Elliptical Cable Size (MM)                                 | Total Number of Holes | Weight Lbs. | Kit Qty. | Mating Hanger Size<br>(Sold Separately) |
| BCE631X   | (EWP63 / EW63 / EWP63S / E65 / EWP64 / EW64 / EP70 / EO11) | 1                     | 2.4         | 10       | 2-1/4"                                  |
| BCE601X   | (E60 / EW60 / EWP53S / EWP52 / EW52)                       | 1                     | 2.3         | 10       | 2-1/4"                                  |
| BCE382X   | (E380)   | 2                     | 3.0         | 10       | 1-5/8"                                  |
| BCE2402X  | (EW220 / EW240 / E250)                                     | 2                     | 2.9         | 10       | 1-5/8"                                  |
| BCE1322X  | (EWP127A / EW127A / E130 / EWP132 / EW132 / E150 / EO22)   | 2                     | 2.3         | 10       | 1-5/8"                                  |
| BCE2202X  | (EWP180 / EW180 / E185 / EO38 / E220)                      | 2                     | 2.1         | 10       | 1-5/8"                                  |
| BCE192X   | (EO19)   | 2                     | 1.8         | 10       | 1-5/8"                                  |
| BCE902X   | (EWP90S / EWP90 / EW90)                                    | 2                     | 1.7         | 10       | 1-5/8"                                  |
| BCE1051X  | (EW85 / E105 / EP100)                                      | 1                     | 2.5         | 10       | 1-5/8"                                  |
| BCE151X   | (EO15)   | 1                     | 1.9         | 10       | 1-5/8"                                  |
| BCE771X   | (E78 / EWP77 / EW77)                                       | 1                     | 1.5         | 10       | 1-5/8"                                  |
| BCE13278X                                       | (EWP127A/EW127A/EW127A/E130/EWP132/EW132/E150/EO22)        | 1                     | 0.5         | 10       | 7/8"                                    |
| BCE22078X                                       | (E220)   | 1                     | 0.7         | 10       | 7/8"                                    |
| BCE25078X                                       | (E250)   | 1                     | 0.7         | 10       | 7/8"                                    |
| BCE38078X                                       | (E380)   | 1                     | 0.8         | 10       | 7/8"                                    |
| <b>*Additional Sizes Available on Request*</b>  |  |                       |             |          |   |

# TYPICAL APPLICATIONS



Insertion Directions

- 1. Spread hanger open
- 2. Insert cushion
- 3. Squeeze hanger
- 4. Insert into hole



NOTE: Thickness of pre-punched member: .120" - .135" (3.0mm - 3.4mm)

STAND-OFF ADAPTER  
(Ordered separately)



ANGLE ADAPTER  
(Ordered separately)